Draft FY 20-21 Basin Monitoring Program Task Force Budget (Effective 1-14-20)

		FY 20-21 Cost			
Projected Expenses	SAWPA TF Admin & Contract Adm	\$50,000			
	\$10,000 \$30,000				
	\$91,030				
	Next Ambient Water Quality w/ Interpretive tools (FY 2022-2023) ¹				
	,	\$306,030			
Projected Revenue					
	Estimate Carryover contingency	\$2,398			
	ACOE Dewater Project Annual Contribution	\$14,019			
		\$16,417			
	Imported Water	Ambiant			

		Imported Water Recharge SubCommittee			Ambient Water Quality &	
Task Force Agency	SAWPA Admin	Adm Support	SAR Report	Reg Support	Tools	Total
IEUA	\$2,631.58		\$1,764.71	\$4,551.50	\$6,250.00	\$15,198
EMWD	\$2,631.58	\$1,428.57	\$1,764.71	\$4,551.50	\$6,250.00	\$16,626
OCWD	\$2,631.58	\$1,428.57	\$1,764.71	\$4,551.50	\$6,250.00	\$16,626
SBVMWD	\$2,631.58	\$1,428.57	\$1,764.71	\$4,551.50	\$6,250.00	\$16,626
CORONA	\$2,631.58	\$1,428.57	\$1,764.71	\$4,551.50	\$6,250.00	\$16,626
EVMWD	\$2,631.58	\$1,428.57	\$1,764.71	\$4,551.50	\$6,250.00	\$16,626
REDLANDS ³	\$2,631.58			\$4,551.50	\$6,250.00	\$13,433
RIALTO	\$2,631.58		\$1,764.71	\$4,551.50	\$6,250.00	\$15,198
RIVERSIDE	\$2,631.58		\$1,764.71	\$4,551.50	\$6,250.00	\$15,198
RIX JPA	\$2,631.58		\$1,764.71	\$4,551.50	\$6,250.00	\$15,198
YVWD	\$2,631.58		\$1,764.71	\$4,551.50	\$6,250.00	\$15,198
WRCRWA/WMWD	\$2,631.58	\$1,428.57	\$1,764.71	\$4,551.50	\$6,250.00	\$16,626
JCSD	\$2,631.58		\$1,764.71	\$4,551.50	\$6,250.00	\$15,198
$TVWD^2$			\$1,764.71	\$4,551.50	\$6,250.00	\$12,566
BEAUMONT	\$2,631.58		\$1,764.71	\$4,551.50	\$6,250.00	\$15,198
CBWM ³	\$2,631.58			\$4,551.50	\$6,250.00	\$13,433
BANNING	\$2,631.58		\$1,764.71	\$4,551.50	\$6,250.00	\$15,198
SGPWA	\$2,631.58	\$1,428.57	\$1,764.71	\$4,551.50	\$6,250.00	\$16,626
BCVWD	\$2,631.58		\$1,764.71	\$4,551.50	\$6,250.00	\$15,198
IRWD ³	\$2,631.58			<u>\$4,551.50</u>	\$6,250.00	\$13,433
	\$50,000	\$10,000	\$30,000	\$91,030	\$125,000	\$306,030

^{1.} Triennial Ambient Water Quality (AWQ) Update w/Interpretive Tools (FY19-20) - funding collected annually over 3 years - \$375K estimat

^{2.} A discount was provided for POTWs producing under 1 mgd of wastewater flow - No SAWPA Admin cost per TF direction

^{3.} No WWTP discharges so no funding participation in SAR Annual Report - based on request of affected agencies and TF direction